

SigmaSoft DAPP-BQ for Windows

W. John Livesley, Ph.D., M.D. & Douglas N. Jackson, Ph.D.

Software Manual



Advancing the Science of Human Assessment since 1967.

Copyright © 2009 by SIGMA Assessment Systems, Inc. All rights reserved. May not be reproduced in whole or in part in any form or by any means without written permission of SIGMA Assessment Systems, Inc.

In the United States:

SIGMA Assessment Systems, Inc. P.O. Box 610757 Port Huron, MI 48061-0757

Web: SigmaAssessmentSystems.com

In Canada:

SIGMA Assessment Systems, Ltd. P.O. Box 3292, Station B London, ON N6A 4K3

Printed in Canada. Version 1.0.2 8 7 6 5 4 3 2 1

Contents

1.	Introduction	1-1
	About this manual	1-1
	Dimensional Assessment of Personality Pathology-Basic Questionnaire (DAPP-BQ)	1-1
	Technical Support	1-2
	Contact Information	1-2
	Copyright	1-3
	About the Company	
	Confidentiality	
	Password Protection Level C Tests	
	Norms	
	Help on Help	
2.1	nstallation	
	Required Equipment	
	Loading the Install Program	
	Installation	
	Automatic	
	Custom	
	Administrator or User	
	Network Installation	
	Registration	
	Password Protection	
	Program Updates	2-6
3. F	Registration	3-1
	Why Register?	3-1
	Registration Limitations	3-1
	How To Register	
	Registration window	
	Validation Code	
	Current Coupons	3-3
	Serial Number	3-3
	Add Coupons	3-3
	Password	3-3
	Now button	3-3
	Later button	
	Cancel button	
	Register by Phone	
	Register by Fax or Email	3-4
	Fax	
	Email	-
	Moving the registration to another computer	
	To move the registration to another location:	3-5
4. T	utorial	4-1
	Introduction	4-1
	Part One - Adding a respondent	
	Part Two - Printing a sample report	
	Part Three - Printing a report	
		+ J

5.	Main Menu	
	Speed Buttons	
	Keyboard Shortcuts	
_		
6.	File Menu	
	File New	
	File Open	
	File Save	
	File Save As	
	File Rebuild	
	File Export	
	File Import	
	File Print File Exit	
7.	Edit Menu	
	Edit Cut	
	Edit Copy	
	Edit Paste	
	Edit Select All	
	Edit Deselect All	
	Edit Find	
	Edit Replace	
	Edit Format Character	
	Edit Format Paragraph	
	Indent	
	Align	
	Border	
	Shading	
	Edit Insert Page Break	
8.	Coupons Menu	
	- Coupons Add	
	Add Coupons window	
	Serial Number	
	Current Coupons	
	Validation Code	
	Add Coupons	
	Password	
	Adding coupons	
	To add coupons by phone:	
	To add coupons by fax or email:	
	Fax:	
	Email:	
	Coupons Status	
9.	Options Menu	
	Options Program	
	Program Settings window	
	Program Directories	
	Screen Font	
	Security	
	, Васкир	
	Options Administration	
	Administration Settings window	

Administration Language	
Administration Font	
Administration Security	
Options Report	
Report Settings window	
Report Language	
Report Destination	
Unscorable Reports	
Printer Setup	
espondent Database	
Respondent Database	
Respondent Database window	
Add	
Edit	
Delete	
Report	
Sort	
Edit Respondent	
Edit Respondent Information window	
Respondent Demographics	
Coupon Level	
Administer	
Edit Responses	
Edit Scale Scores	
Administration	
Edit Responses	
Edit Responses window	
Edit Window	
Errors only	
Edit Scale Scores	
Edit Scale Scores window	
Scale Scores window	
Report	
Report Type	
Report Type window	
Basic Report	
Data Report	
Import/Export File Formats	
Comma Delimited File Format (.CSV)	
Tab Delimited File Format (.TAB)	
Fixed-Format ASCII File Format (.TXT)	
Generating Report	
Generating Report window	
All button	
Abort button	
Progress Indicator	
Send Report To	
Confirm Processing	
Import / Delete Respondent Data window	
All button	
Abort button	

Registered Mode	11-1
Demonstration Mode	
Server Mode	
Client Mode	
Help Contents	
Help Tutorial	11-2
12. Batch Processing	
Explanation of Command Line Parameters	
Using Command Line Parameters in Windows	
13. Troubleshooting	12 1
Administration	
Client mode	
Coupons	
Editing respondent data	
Exporting reports and	12.2
respondent data	
Generating reports	
Importing respondent data files	
Keyboard usage	
Memory	
Missing files	
Mouse usage	
Network	
Opening files	
Password	
Printing	
Registration	
Saving files	
Saving reports	
14. Files Used by the Software	
15. Uninstallation	15-1
Uninstallation for Windows	
Remove Registration	
Nemove Registration	
16. Glossary	
Browse box	
Button bar	
Check box	
Clipboard	
Comma delimited	
CONFIRM.TXT	
Coupon level	
Coupons	
COUPON.TXT	
Dialog box	
Drive icon	
Edit box	16-3
Fixed format ASCII	16-3
Highlighting	16-3
ID Number	16-3
List box	

dio box16	
G.TXT	
spondent data file	
F file	
ve dialog box	
ection	
tus bar16	<u>-4</u>
idation code16	5-4



1. Introduction

The SigmaSoft DAPP-BQ for Windows Software consists of a simple interface allowing easy administration, fast and accurate scoring, and flexible reporting. The interface consists of a respondent database containing a list of people who have taken the assessment. Simple instructions, large fonts and oversize buttons make it easy for even the novice computer user to complete our assessments. Administered assessments are quickly and accurately scored, and can be printed in a number of standard report formats

About this manual

This manual describes each of the functions of the SigmaSoft DAPP-BQ for Windows Software in detail. Chapter 2 describes the installation process. Registration is explained in Chapter 3. Chapter 4 contains a tutorial to get you up and running. Chapters 5 through 11 describe in detail the 6 options on the *menu bar*. Batch processing is explained in Chapter 12. Common troubleshooting tips are detailed in Chapter 13. A listing of files used and their explanation follows in Chapter 14. Uninstallation steps are outlined in Chapter 15. Finally, a glossary in Chapter 16 lists all common terms used throughout the software and manual.

A great deal of effort has gone into making use of this software as intuitive as possible. Users familiar with Windows software should have little trouble finding their way around the DAPP-BQ for Windows Software. However, it is crucial that the installation instructions contained in Chapter 2 be followed. An understanding of the program settings described in Chapter 9 is also important.

Dimensional Assessment of Personality Pathology-Basic Questionnaire (DAPP-BQ)

W. John Livesley, M.D., Ph.D., & Douglas N. Jackson, Ph.D. © 2009

The DAPP-BQ is a revolutionary clinical measure supported by over 15 years of empirical research. It was designed to assess and help treat personality disorders along the full continuum - from mild to extreme trait manifestations.

The DAPP-BQ consists of 290 items rated on a 5-point scale. It takes approximately 35 to 50 minutes to complete.

The DAPP-BQ gives scores on 18 clinical scales; Affective Lability, Anxiousness, Callousness, Cognitive Dysregulation, Compulsivity, Conduct Problems, Identity Problems, Insecure Attachment, Intimacy Problems, Low Affiliation, Narcissism, Oppositionality, Restricted Expression, Rejection, Self-Harm, Stimulus Seeking, Submissiveness, Suspiciousness, Validity Scale.

The DAPP-BQ Technical Manual reports extensive validity data as well as relationships with a variety of widely used assessment instruments. Separate Clinical and General Population norms are reported in the manual.

Technical Support

You may reach technical support for our software by one of the following methods:

Phone Fax Email

When you contact technical support, please have ready the serial number and version number of your software. This can be found on the label of the installation CD. If you are calling by phone, it is also important that you have access to the computer on which you are running the software when you call. Determining the exact nature of a problem and then solving that problem is often an interactive process that requires access to your computer.

Contact Information

You may reach technical support by phone between the hours of 8:30 AM and 5 PM Eastern Standard Time on our toll-free or direct lines:

United States	P.O. Box 63	sessment Systems, Inc. 10757 n, MI 48061-757
		800-265-1285 800-361-9411 8:30am - 5:00pm EST software@SIGMAAssessmentSystems.com SigmaAssessmentSystems.com
Canada	P.O. Box 32	sessment Systems, Ltd. 292, Station B N N6A 4K3
	Toll-Free Fax	519-673-0833 800-401-4480 519-673-5905 800-361-9411 8:30am - 5:00pm EST software@SIGMAAssessmentSystems.com SigmaAssessmentSystems.com

International	SIGMA Assessment Systems, Ltd. P.O. Box 3292, StationB London, ON N6A 4K3 Canada	
	Phone Fax Hours Email Internet	1-519-673-0833 1-519-673-5905 8:30am - 5:00pm EST software@SIGMAAssessmentSystems.com SigmaAssessmentSystems.com

Copyright

The DAPP-BQ for Windows installation CD is not copy-protected. You are encouraged to make backup copies of the installation CD. However, the DAPP-BQ for Windows makes use of a protected counter. This software-based protected counter must be installed on one computer before the DAPP-BQ for Windows can be used to generate reports. If you wish to generate reports from more than one computer, you must purchase software for, and register each computer separately. Any attempt to bypass the protected counter constitutes a violation of our copyright.

About the Company

SIGMA Assessment Systems, Inc. (SIGMA) have been creating respected assessments since 1967. We have a long list of satisfied clients in both the public and private sector, including NASA, Intel, DaimlerChrysler, Lucent Technologies, Towers Perrin, Nokia, AT&T, and Duke Energy, to name a few. Consultants find our products to be valuable complements to their service.

SIGMA is a founding member of the Association of Test Publishers, and has been providing products and services to human resource professionals, counselors, and psychologists for over 40 years. SIGMA publishes a variety of psychological instruments, including measures of ability, personality, and career interest.

Confidentiality

There are several steps you can take to protect the confidentiality of your client's data.

- 1. In the security section of the **Options**|**Program** menu you will see a password for the program. The default password is SIGMADEFAULT. You are encouraged to change this password before starting your testing. Whenever you load the software, you must enter a password to gain access.
- 2. In the security section of the **Options | Administration** menu. Whenever your client completes a test, you must enter a password to return to the **Respondent Database**. This is the same password entered in step 1.

3. Ensure that reports and export files that have been generated are deleted. These files can be read by other programs. They can be regenerated later if needed again.

Password Protection Level C Tests

Level C tests should be password protected due to the sensitive nature of the data that is being stored for a respondent. It is the recommendation that this test be password protected for start up and test administration exit functionality.

When the program is installed it will have a default password stored in the system.

The initial installation password is SIGMADEFAULT.

Norms

The DAPP-BQ is a reliable and valid measure of personality pathology. Internal consistency reliabilities for the 18 scales range from .85 to .94 (general population sample) and .84 to .95 (clinical sample). Convergent validity has been established with other measures of personality pathology, normal personality, interview ratings, and self-report ratings. Norms are available for both general population (N=2726) and clinical (N=656) samples.

These norms are reported in the DAPP-BQ Technical Manual available from SIGMA.

Help on Help

Here are a list of common conventions used throughout the help manual:

File Open	Select the File item from the main menu, and select Open from the list.
Ctrl	The "Control" or "Ctrl" key, normally at the bottom left of the keyboard.
Alt	The "Alternate" or "Alt" key, normally to the right of the Ctrl key.
Alt-F4	This is a keyboard shortcut. You press Alt, and then F4 while holding down the Alt key. Then release the
	F4 key and the Alt key.
Output	Dialog boxes and windows are referred to in bold print.
List files as type	A field or box inside a dialog box is listed in <i>italics</i> .



2. Installation

The topics in this section are: Required Equipment Loading the Install Program Installation Network Installation Registration Password Protection Program Updates

Required Equipment

The following equipment is required to install and run the DAPP-BQ for Windows:

an Intel x86 compatible computer or better equipped with:

512 megabytes memory (RAM)
a hard drive with 12 megabytes of free space
Windows 98 / ME, NT / 2000 / XP, Vista or later.
a mouse

This represents the minimum configuration. However, additional memory and processor (CPU) speed will increase performance.

Loading the Install Program

The DAPP-BQ for Windows files are stored on the installation CD in a compressed format. They can only be installed on your computer by following these steps:

- Place the installation CD into the CD drive on your computer.
- Display the **Run** dialog box from the **Start Menu** select **Run**.
- Type the drive letter of your CD drive followed by **:SETUP** (e.g. D:SETUP) and press the **Enter** key.

The **Installation Wizard** is displayed after you begin the installation program. To start installation click on the **Next** button. Click the **Cancel** button to abort the installation.

Prior to installing the software, please exit any other SigmaSoft for Windows programs you have open. Follow the prompts.

There are two different ways to install the software: **Automatic** or **Custom**.

遏 SigmaSoft DAPP for Windows		
	For most users, this program will be automatically installed using default settings. Choose Automatic and click Next to install automatically. If you are installing: - a network server or client version of this program; - to a user with restricted computer access rights; or - with control of where and how it is installed, then choose Custom, then click Next.	
	< <u>B</u> ack <u>Next</u> ≻ Cancel	

Automatic

Most users will install using the Automatic settings. This means the **SigmaSoft DAPP for Windows** will be saved to default settings. Follow the prompts to complete the installation process, and skip to the **Registration** section.

Custom -

Choose custom installation if you are installing a network server or client version of this program to a user with restricted computer access rights or with control of where and how it is installed.

Follow the prompts to complete the installation process.

Administrator or -User

Choose Single user or Server if you are installing the software on a computer with multiple user accounts.

🙀 SigmaSoft DAPP for Window	ws 🔍 🗶
	This software can be installed standalone as a single copy, or multi-user as a server or network client. If you are installing: - as a server for a network install; or - as a single user, choose Single User or Server and click Next. Choose Network if you are installing as a Network Client, then click Next. You will need the path to the server to continue.
	< <u>B</u> ack <u>N</u> ext > Cancel

You may set up the SigmaSoft for Windows Software over a network with one copy of the software, running as the server, and permitting access to the server computer by clients on the network. Only one purchased copy of the software is necessary. A peer-to-peer network, such as Windows networking, is required to properly use the SigmaSoft for Windows Software over a network. All reports must be generated from this server computer, which holds the coupons. All other computers are then recognized as client computers by the software, when properly set up. Client computers can only edit respondent data and administer tests.

🔏 SigmaSoft DAPP for Windo	ws
	This software can be installed standalone as a single copy, or multi-user as a server or network client. If you are installing: - as a server for a network install; or - as a single user, choose Single User or Server and click Next. Choose Network if you are installing as a Network Client, then click Next. You will need the path to the server to continue. C <u>S</u> ingle user or Server (Network <u>C</u> lient
	< <u>B</u> ack <u>N</u> ext > Cancel

To set up the software on a server computer:

- Install the software and register on a computer to be designated as the server. This computer will hold the shareable database containing all of the respondent information.
- Ensure that the directory containing the software on the server computer is shared with full read/write access, including any shared **Data** folders.
- Password protect entry to the program in **Options | Program** and prevent exit from test administration in **Options | Administration**. This will prevent respondents from seeing or changing the responses of other respondents in the shared **Data** folder. Once configured, the password must be used by all clients before and/or after test administration, depending on your setup.

To set up the software on client computers:

- Permanently map a network drive to the server computer.
- During install, choose Custom, Network, and follow the prompts.
- To manually set up a network client after installation:
- Update the client's shortcut to use the /N parameter, followed by the path of the server's folder, and alter the paths in **Options** |Program to use the network drive letter.

Properly installed client copies will display **Client Mode (Network)** in the opening title screen, whereas unregistered standalone software will be displayed in **Demonstration Mode**.

Registration

The installation process is nearly complete when the **Register?** dialog box is displayed.



If you click on the **Yes** button, the install program loads the SigmaSoft DAPP for Windows software and proceeds with registration. Press **F1** for help in the SigmaSoft DAPP for Windows program, or read the chapter on Registration which follows.

If you click on the **No** button, you may register the software any time you next run the program.

If you did not successfully complete each of the installation steps, the DAPP-BQ Software will not have been properly installed and you will have to restart the installation process from the beginning.

Level C tests should be password protected due to the sensitive nature of the data that is being stored for a respondent. It is the recommendation that this test be password protected for start up and test administration exit functionality.

When the program is installed it will have a default password stored in the system.

The initial installation password is **SIGMADEFAULT**.

The user will be presented with a Password login screen as shown below.

SigmaSoftDAPPfor Windows - Version 2.53		
Enter security password		
V OK X Cancel		

Program Updates

The SigmaSoft for Windows Software is periodically updated, and there is currently no charge for minor upgrades. Upgrades may be installed to the same directory as your current version. Your registration and number of coupons will remain unchanged, as well as any existing respondent data.

You may download the most recent version of our software as well as demonstration versions of our other instruments on our website:

http://SigmaAssessmentSystems.com in the United States

If you do not have internet browser access but do have internet mail, we can email you an update. Send an email request to:

software@SigmaAssessmentSystems.com in the United States



3. Registration

The topics in this section are: Why register? Registration limitations How to register Moving the registration to another computer

Why Register?

The SigmaSoft for Windows Software is usage-controlled. Before you can use all of its features, registration is required. A password is then provided that will complete the installation of the software on your computer. This enables the protected counter that keeps track of the number of coupons you have purchased. Coupons are required to generate reports.

Registration Limitations

The software must be registered to a local drive on a computer. It cannot be registered to a remote computer on a network. Only the computer which has been registered can access the coupons. Once the software is registered, you may not move it to another directory or computer by yourself. You must contact SIGMA for a password to remove the coupons and then contact us again to add them to another computer. If you wish to uninstall the software, you must contact us to have the coupons removed so you will receive credit for unused coupons.

You may register our software by one of the following methods:

- Phone
 - Fax Email
- 1. Run the SigmaSoft for Windows Software.
- 2. At the opening screen, select **Register**.
- 3. Complete the **Registration Information** window and click the **Register** button. This will display the **Registration** window.

Registration Information	a <mark>na kana ana ana ana ana ana ana ana ana </mark>	<u> </u>
<u>C</u> ompany	SIGMA Assessment Systems, Inc.	Action
<u>Q</u> ualified User	Douglas N. Jackson, Ph.D.	Desister
Address <u>1</u>	P.O. Box 610757	<u> </u>
Address <u>2</u>		🗙 Cancel
City	Port Huron	
<u>S</u> tate/Province	MI	
<u>C</u> ountry	USA	
<u>Z</u> ip/PostalCode	48061-0757	
Phone	800-265-1285	
Eax	800-361-9411	
<u>E</u> Mail	sigma@SIGMAassessmentsystems.	

Registration ______ window

F	Registration	<u> </u>
	Software will be registered to Company: SIGMA Assessment Systems, Inc. Name: Douglas N. Jackson, Ph.D. Address 1: P.O. Box 610757 Address 2: City: Port Huron State/Province: MI Zip/Postal Code: 48061-0757 Country: USA Phone: 800-265-1285 Fax: 800-361-9411 EMail: sigma@SIGMAassessmentsystems.com	Register
	Validation Code P Current Coupons 100 Serial Number	
Validation Code –	This code is generated by the program when you are abou	t to register the software.
Current Coupons –	The current number of coupons installed is displayed. the first time, the number of coupons is zero.	If you are registering for
Serial Number –	You are given a serial number when you purchase the soft used to identify you when you call in to add coupons or a	
Add Coupons –	If you are adding coupons when you are registering, ente you wish to add here. If you are not adding coupons, en	
Password –	Enter the password you are given. To obtain a password Register and follow the instructions.	l, see the section How to
Now button –	If you have entered a password, click on this button.	
Later button –	Click on this button to register later, by fax or by email changes to your registration.	, or if you want to make
Cancel button –	This button halts the registration process. Registration ir validation code will be lost. You are given a warning if inform and not saved. If you receive this warning, click on the O cancel. Click on the Cancel button to return to the Regis	mation has been changed Ik button to continue the

Register by Phone ——			
	1.	You are asked to provide the information in the Re including the initial number of coupons you are pure	
	2.	Enter the Serial Number, Coupons and Password in the and click the Now button. If all goes well, the me successful" is displayed, along with the number of c	ssage "Registration
Register by Fax or —			
Email			
	1.	Indicate how many coupons you will initially install by e in the <i>Add Coupons</i> field.	entering the amount
	2.	Click the Later button.	
	3.	Answer Yes to print out the order form.	
	4.	Exit the software by answering Ok to any remaining pr File Exit from the menu.	ompts and selecting
Fax		Follow one of the methods below:	
	5.	Complete the information on the order form.	
	6.	Fax the order form to one of the following numbersUnited StatesSIGMA Assessment SystemsCanadaSIGMA Assessment Systems	: 1-800-361-9411 1-519-673-5905 1-800-361-9411
		International SIGMA Assessment Systems	1-519-673-5905
Email	You wi	Il receive return fax containing your password. Proceed	d to Step 7.
	5.	Use NotePad to edit the REG.TXT file found in C:\Progr Complete, then save the information.	ram files\Test Name.
	6. Ad	dress your internet email to: software@SigmaAssessmentSystems.com	
	For	the subject line please use: Windows Software Registration	

Attach or insert the REG.txt file into your message, and then send the message.

You will receive return email containing your password.

- 7. Run the SigmaSoft for Windows Software, and choose **Register** at the opening screen.
- 8. Click the **Register** button in the **Registration Information** window.
- 9. In the **Registration** window, enter the *Serial Number, Coupons* and *Password* in the appropriate boxes, and click the **Now** button. If all goes well, the message "Registration successful." is displayed, along with the number of coupons added.

Moving the registration to another computer

You may not simply move or copy the software to another computer or directory. Doing so will invalidate your registration and result in the loss of coupons. You will then have to call technical support to re-register the software.

To move the – registration to another location:		
	1.	Uninstall the software. See the Uninstallation section.
	2.	Contact technical support with your removal validation code.
	3.	Install the software in the new computer or directory.
	4.	Register the software. You may add coupons back at the same time you register the software, by providing your <i>removal confirmation code</i> when you re-register.



4. Tutorial

Introduction

The tutorial will interactively teach you how to add a respondent, administer the assessment and print a report. You can run the on-line tutorial by loading the help file and selecting **Tutorial** or by selecting **Tutorial** from the **Help** Menu of the SigmaSoft for Windows Software.

Part One - Adding a respondent

If you have not done so already, start your SigmaSoft DAPP-BQ for Windows Software now.

Click on the **Ok** button to continue past the **About** screen.

If the message "You must open a respondent database first" is displayed, create a new respondent database file by selecting **File | New** and entering a new name in the **Create new respondent database** dialog box, such as "TEST".

Respondent Database	
Eile: C:\Users\Public\Documents\SigmaSoft for Windows\DAPF	Action
Sample, Sam: Male [1000]	+ Add
	✓ Edit

Add a respondent in one of two ways:

1. Click on the Add button

-or-

2. Press **Alt-A** on your keyboard by pressing and holding the **Alt** key, then pressing the **A** key and then releasing both keys. This is called using the **keyboard shortcut**, the shortcut key being the underlined letter on the button.

Edit Respondent Info	rmation	<u>×</u>
<u>L</u> ast name	Sample	Save changes?
<u>F</u> irst name	Sam	√ Yes
<u>M</u> iddle name		
<u>I</u> D number	1000	<u> </u>
<u>G</u> ender	Male	
Age	30	
Marital Stat <u>u</u> s	Never Married	
<u>E</u> thnicity	White Arab Latin American Black Chinese Japanese Native American Filipino Korean	
	< •	
<u>C</u> lient Type	Adult Counselee	
	Coupon Level 8	
	Administer	
	Edit <u>R</u> esponses	
	Edit <u>S</u> cale Scores	
1		

You are presented with the window named Edit Respondent Information.

Enter in a last name, press the **Tab** key to move to the next field. Enter a first name, press **Tab** and press **Tab** again to move past the middle name without entering anything. Select the gender from the drop menu and press **Tab**. Enter the age, marital status, ethnicity, and client type in the appropriate fields tabbing after each entry. Continue entering data and tabbing until the **Administer** button is highlighted (a dotted line appears around the inside of the button).

Administer the assessment now by pressing the space bar while the **Administer** button is highlighted, or press the **Alt-D** shortcut or by clicking on the **Administer** button with your mouse cursor. If you need to exit before answering all of the questions, press **Alt-F4** to exit early.

When you start the assessment, the administration startup screen explains to the respondent how to answer the questions. This would be the time you would bring in a client to take the assessment during normal operations.

Once the assessment has been completed, click the **Finish** button. Click on the **Yes** button in the **Edit Respondent Information** window to save the changes to the respondent database.

If you have not registered your software, administration will be limited to the first 5 items, and you will not be able to generate a report. If you still wish to print a sample report, follow the instructions below and continue to **Part Three**. If your software is registered and you want to generate a report based on the test you just completed, then skip to **Part Three** - **Printing a report** now.

Change to the sample respondent database using one of three methods:


- 1. Select File | Open from the menu.
- 2. Press the Ctrl-O shortcut
- 3. Click on the file open icon ion the speed bar.

In the **Open existing respondent database** dialog box, select the file SAMPLE.DAT and click the **Ok** button.

Select the first sample respondent, and continue with *Part Three*.

Part Three - Printing a report

Make sure the respondent you just added is selected. Click on the **Report** button. Select the *Basic Report* radio button from the list and click on the **Ok** button.



The respondent information will be displayed again in the **Generating Report** window. Click on the **Yes** button to begin generating the report.

Generating report - B	asic Report	
Last name	Sample	Process?
First name	Sam	✓Yes
Middle name		<u> </u>
ID number	1000	
Gender	М	
Age	30	Abort
	Coupon level 8	Send Report To:
Coupons remain Progress	ning 12100	© Printer O PDF <u>F</u> ile

The **Send Report To** radio box allows you to choose where the report is sent. This choice overrides the one made in the Printer and Page Setup window for the current report only. Click on **PDF file** to save the report as a PDF file. You will be prompted to provide the name of the file. Click on the **Ok** button in the **Print** dialog box, and if your printer is connected and ready, you should see the report being printed.

At this time, you can choose to save the report as a .PDF on the computer, or simply exit the program. If you do not save the report, you can generate it again later from the respondent data without using additional coupons.

This concludes the tutorial. Exit the SigmaSoft for Windows Software by selecting **File | Exit** or using the **Alt-F4** shortcut.



5. Main Menu

The *Main Menu* is located at the top of your SigmaSoft for Windows Software screen. When you click on a menu item, it displays another menu of options. The status line at the bottom of the window will show a brief hint as to what the menu option does. Menu items are enabled only when they apply to the current operation. Below the Main Menu lies the speed button bar containing one-click buttons for common operations.


The menu topics in the Main Menu are: File Edit Coupons Options Window Help

Speed Buttons

The speed button bar below the main menu consists of the following icons:



When you click on the speed button icon, it immediately carries out the associated action, as listed below. If you place the cursor over a button and let it rest for a moment, a hint to what the button does is displayed above the button.



Many of the speed buttons also have keyboard shortcuts.

To increase your efficiency, many of the main menu commands have keyboard shortcuts. The keyboard shortcut is also listed on the menu itself next to the description of the item. To use a two key shortcut such as **Ctrl-N**, press the **Ctrl** key, hold it down and press the **N** key. Then release the **N** key and the **Ctrl** key.

Many buttons and controls have an underlined character. Press the **Alt** key and this character to activate the keyboard shortcut. For example, the **Options** menu can be activated by pressing the **Alt-O** sequence.

Some of the keyboard shortcuts can also be found on the speed button bar.

Menu Command	Keyboard Shortcut
File New	Ctrl-N
File Open	Ctrl-O
File Save	Ctrl-S
File Export	Ctrl-E
File Import	Ctrl-I
File Print	Ctrl-P
File Exit	Alt-F4
Edit Cut	Ctrl-X
Edit Copy	Ctrl-C
Edit Paste	Ctrl-V
Edit Select All	Ctrl-A
Edit Deselect All	Ctrl-D
Edit Find	Ctrl-F
Edit Replace	Ctrl-R
Edit Format Character	Ctrl-T
Edit Format Paragraph	Ctrl-H
Edit Insert Page Break	Ctrl-B

Help

F1



6. File Menu

The file menu contains items which affect the **Respondent Database** window, and the **Output** window.

A menu item will be greyed out (dimmed) if it does not apply to the currently selected window or function.

The items in the File Menu are:

New Open Save Save As Rebuild Export Import Print Exit

File | New

When the **Respondent Database** window is selected, **File | New** creates and opens new respondent data files. All respondent information will be saved in this file. If you specify the name of a file that already exists, the contents of this file will be erased. Use **File | Open** to open existing respondent data files. By default, respondent data files are created in the directory specified in the **Options | Program** window.

When the **Output** window is selected, **File | New** erases its contents.

Keyboard shortcut

Ctrl-N

Speed button



File

File

File

	Before you can either import data, edit respondent data or generate reports, you must specify which respondent data file you wish to use. This option allows you to open an existing respondent data file. If you wish to create a new file or overwrite an existing file, use the File New option.		
	By default, respondent data files are created and stored in the directory specified in the Options Program menu.		
	When the Output window is selecter saved report in RTF format.	ed, File Open allows you to retrieve a previously	
	Keyboard shortcut	Ctrl-O	
	Speed button		
Save			
	All changes to your Respondent D a File Save option is disabled when	atabase window are saved immediately, so the this window is selected.	
	-	ected, this option saves all information in the med the report in the Output window, you are og box.	
	Keyboard shortcut	Ctrl-S	
	Speed button		
Save As			
	Use this option to save all the dap prompted with a dialog box entitle	ata in this window to a different file. You are ed Save respondent database as .	
	Data in the Output window may be saved with any name by using the File Save As command. Enter the new name in the Save output as dialog box. Files are saved in RTF format.		
Rebuild			

Rebuild the currently opened respondent database file. Use this feature if a respondent database has become corrupted or if you have deleted a lot of data and wish to reduce the size of a respondent database file.

When the **Respondent Database** window is selected, you may select some or all of the respondents to export into a separate file to be imported by another software program.

Highlight any respondents using the keyboard and/or mouse and select **File | Export**. You are prompted with an **Export Data** dialog box and may change the export file type with the *"Save file as type"* list box.

The export file types supported are: Comma Delimited Tab Delimited Fixed Format Ascii

For more information on file formats, refer to the **Import/Export File Formats** section.

The exported files contain data for responses and scales. If the Basic Report has been purchased for the respondents output, then the export file will contain all the data that is also contained in the Data Report in the formats above. The extra data will not be exported without the purchase of at least a Basic Report. This allows the administrator to import respondent data into an external software program like Microsoft Excel.

Ctrl-E

File | Import

When the **Respondent Database** window is selected, you may import respondent data exported by another software program, provided it is formatted properly.

After you select **File | Import**, you are prompted with the **Import Respondent Data** dialog box. To see files of other types which you may import, change the "List files as type" list box.

The import file types supported are: Comma Delimited Tab Delimited Fixed Format Ascii

For more information on file formats, refer to the **Import/Export File Formats** section.

When the **Output** window is selected, **File | Import** allows you to insert an RTF file at the cursor location.

Keyboard shortcut

Keyboard shortcut

Ctrl-I

File | Print

Send the contents of the **Output** window to the currently selected Windows printer. You may select which pages to print, the number of copies, and whether or not the copies are collated.

To select a different printer or change your printer setup, select the **Printer and Page Setup** option.

風

Keyboard shortcut Ctrl-P

Speed button

File | Exit

To exit from the SigmaSoft for Windows Software, select **File | Exit**. You are warned if the **Output** window contains unsaved data. All data in the **Respondent Database** window has already been saved.

Keyboard shortcut	Alt-F4
-------------------	--------

Speed button

5	2	I
8		l
	H	l
	62	L



7. Edit Menu

Most of the options on Edit Menu apply to the **Output** window only. Use these options to change the appearance of any reports or to find specific information within the report.

The items in the Edit menu are: Cut Copy Paste Select All Deselect All Find Replace Format Character Format Paragraph Insert Page Break

Edit | Cut

Copies the selected text from the **Output** window to the clipboard and removes the selected text. Use **Edit|Cut** when you want to move text from one part of a document to another. Move the cursor to where you want to place the new text and select **Edit|Paste**.

Keyboard shortcut	Ctrl-X
Speed button	×
Mouse	Right click, then select Cut from the menu

Edit | Copy

Copies selected text from the **Output** window to the clipboard. Use **Edit|Copy** when you want to copy text from one part of a document to another. Move the cursor to where you want to place the new text and select **Edit|Paste**.

Keyboard shortcut	Ctrl-C
Speed button	
Mouse	Right click, then select Copy from the menu

Pastes the text from the clipboard to the current cursor location in the **Output** window. Any selected text will be replaced by the text being pasted.

Keyboard shortcut	Ctrl-V
Speed button	3
Mouse	Right click, then select Paste from the menu

Edit | Select All

Selects all of the text in the **Output** window. You may then apply font changes to the entire text, copy, cut or delete the text entirely.

If the **Respondent Database** window is selected, then all of the respondents will be selected. You may then Delete, Edit, or create a Report on all of the selected respondents.

Keyboard shortcut

Ctrl-A

Edit | Deselect All

If the **Output** window is selected, this option removes any text selection, without removing the text.

If the **Respondent Database** window is selected, then all of the respondents will be deselected when this option is used.

Keyboard shortcut Ctrl-D

Edit|Find displays a **Find** dialog box in which you enter any word or name you want to find.

When the **Output** window is selected, **Edit | Find** will find and select your search word(s) among the report text. If you continue your search and find more text, only the newly found text remains selected.

When the **Respondent Database** window is selected, **Edit | Find** searches the text displayed in the respondent list box, which contains the last and first name fields, gender, and the ID number of the respondent. Enter your search name in text box and click on the **Find** button. Any respondent names found will be selected, and you may continue searching by clicking on the **Find Next** button. The **Edit | Find** command starts the search with the first respondent in the list before or after the currently selected respondent.

Keyboard shortcut Ctrl-F

Edit | Replace

The **Replace** dialog box allows you to search for and replace text within your **Output** window. Enter your find and replace text strings and click on the **Find Next** button. When the text you wish to replace is highlighted, click on the **Replace** button. Click on the **Replace All** button to replace all text starting from the current location.

Keyboard shortcut

Ctrl-R

Ctrl-T

Edit|Format Character

Choosing **Edit | Format Character** displays the **Font** dialog box which allows you to change the font type, size, and appearance of text in the **Output** window. If there is no text selected, then the font changes apply to new text typed in. If a selection is highlighted, the changes apply only to the selected text.

Keyboard shortcut

Edit | Format Paragraph

	You may change the indentation and spacing of paragraphs, and tab spacing with the Format Paragraph dialog box. Changes are applied to the current paragraph.	
Indent —	The left and right indent offset text the indicated amount from the left and right margins for the current paragraph. The first line indent offsets the first line of the paragraph only by the indicated amount.	
Align —		
	A left alignment lines up the left hand side of the paragraph with the left margin. A right alignment aligns the right hand side of the paragraph with the right margin. Choosing a center alignment sets up the current paragraph with each line centered between the margins. If you choose an alignment of justify , the text is adjusted to line up with both the left and right margins.	
Border —	To add a border to either the top, bottom, left or right side of the current paragraph, check the appropriate box in the Border section. To remove a line, uncheck the appropriate box.	
Shading —		
	To add shading to a paragraph, change the percentage value in the Shading section. Values can vary from 0 percent to 100 percent.	
	Keyboard shortcut Ctrl-H	
Edit Insert Page Break		

Inserts a page separator in the **Output** window at the location of the cursor.

Keyboard shortcut

Ctrl-B



8. Coupons Menu

The options on this menu allow you to examine the status of your coupons, and to add scoring coupons to the SigmaSoft for Windows Software.

The **Coupons Menu** is available only when the software is registered.

The items in the Coupons Menu are: Add Status

Coupons | Add

When you have used up your coupons you may purchase more by contacting SIGMA with the information provided by the **Add Coupons** window.

You may add coupons by one of the following methods:

- Phone Fax
- Email

Add coupons	
Software registered to Company: SIGMA Assessment Systems, Inc. Name: Dr. Douglas Jackson Address 1: P.O. Box 610757 Address 2: City: Port Huron State/Province: MI Country: USA Zip/Postal Code: 48061-0757	Add Image: Mow Image: Mow <
Validation Code IXXXXXXXXXX Current Coupons 10000 Serial Number 30000 Add Coupons []	
Password	

Add Coupons window

Serial Number —	
	The serial number is assigned to you by SIGMA when you initially register the software. Since this number does not change, the field is not editable
Current Coupons —	
	This field displays the current number of coupons installed in the protected coupon counter.
Validation Code —	
	The validation code is an essential piece of information which you give to SIGMA. If you are adding coupons by mail, fax, email, or purchase order, you must use the Later button to save the validation code. If you do not, the validation code will change, and any passwords you receive will not work.
Add Coupons —	
	Enter the number of coupons that you are ordering. This number must exactly match the order you give to SIGMA.
Password —	
	Enter the password you receive from SIGMA in this field.
Now button —	
	When you click on the Now button, and the password and coupons are correct, the new coupons will be added immediately.
Later button —	
	When you click on the Later button, the validation code and coupon information is saved. When asked to print an order form, answer Yes . Use this form with any orders for coupons.
Cancel button —	
	If you click on the Cancel button, any password you have received will no longer be valid. A dialog box will warn you that this will happen. If you have not purchased a password, click on the Ok button in the dialog box to exit. Click on Cancel in the dialog box to return to the Add Coupons window.

	1. Select Coupons Add from the main menu.
	2. Enter the number of coupons you wish to add in the Add Coupons field.
	See <i>step 3</i> (add by phone or add by fax/email).
To add company by	
To add coupons by — phone:	
	 Call one of the following numbers: United States SIGMA Assessment Systems 1-800-265-1285 Canada SIGMA Assessment Systems 1-800-401-4480 International SIGMA Assessment Systems 1-519-673-0833
	4. Provide billing details, and method of payment.
	5. Provide the serial number, validation code and number of coupons you wish to SIGMA.
	6. Enter the password given to you by SIGMA.
	7. Click the Now button.
To add coupons by — fax or email:	
	3. Click the Later button.
	4. Answer Yes to print the order form.
	 Use NotePad or another editor to edit the COUPON.TXT file, found in C:\ Program files\Test Name, and complete the blanks on the form, providing billing details, and method of payment.
_	Follow one of the methods below:
Fax:	
	 Print and fax the COUPON.TXT file to one of the following numbers: United States 1-800-361-9411
	Canada 1-519-673-5905 1-800-361-9411
	International 1-519-673-5905

Email: _

6. Email to the following internet address:

software@SigmaAssessmentSystems.com

For the subject line please use:

Coupon Order

Attach or insert the COUPON.TXT file into your message, and then send the message.

7. When you receive your reply email, select **Coupons | Add**, enter the password given, and click on the **Now** button.

Coupons|Status

The **Coupon Status** window displays the name and address to whom the software is registered, as well as coupon information. The coupon information displays the serial number of the program and the remaining coupons left.

Coupon Status
Software registered to
Company: SIGMA Assessment Systems, Inc.
Name: Dr. Douglas Jackson
Address 1: P.O. Box 610757
Address 2:
City: Port Huron State/Province: MI
Country: USA
Zip/Postal Code: 48061-0757
Coupon information
Serial number: 30000
Remaining coupons: 10000
🗸 ОК



9. Options Menu

The items on the **Options Menu** allow you to change the fonts, directories, security options and languages of your SigmaSoft for Windows Software.

The items in the Options Menu are: Program Administration Report

Options | Program

The **Program Settings** window allows you to set your data, import and export directories, main screen font, startup security options, and number of days your backup files are kept.

Program Settings	
Program Directories	Save changes?
Data: C:\\SigmaSoft for Windows\DAPP\DATA	
Import: C:\\DAPP\IMPORT	<u> </u>
Output: C:\\DAPP\OUTPUT	
Screen Font	
Fon <u>t</u> : MS Sans Serif	
Security	
Password	
Backup	
☑ Backup files Number of days to keep backups 10	

Program — Directories	
	The <i>Data</i> directory points to the location of the respondent database files. The <i>Import</i> directory points to the the location of files to be imported, normally exported by other programs. Report files are saved in the <i>Output</i> directory by default.
Screen Font —	
	Customize the font used in most of the dialog boxes by changing the <i>Screen Font</i> . Test any changes you make. Too large a font will result in the truncation of button labels and other text. Too small a font will be difficult to read. A 10 point to 11-point bold font is recommended.
Security —	
	The program entry is password protected. The initial password has been set to SIGMADEFAULT. To change the password protect entry to the SigmaSoft for Windows Software, enter a new password in the <i>Password</i> edit box. The <i>Check</i> <i>password at program start</i> check box is defaulted to always checked. A password prompt will appear each time the software is loaded. The password is also used at the end of administration, if so configured in the Options Administration . If you remove the password, the <i>Check password at program start</i> check box is automatically set to SIGMADEFAULT. Choose a password that you will remember. Enter this password after the initial installation. Should you forget your password, please contact 'SIGMA Assessment Systems' technical support. This section is greyed out if the software is being run in client mode. Any changes must be made on the server computer.
Backup —	
	You may optionally have automatic backups made whenever you make changes to respondent data or administer assessments. Enable backups by checking off the <i>Backup files</i> check box. The <i>Number of days to keep backups</i> edit box defines how long backups will remain. Old backup files are deleted after the specified number of days. Backup files are named BKddhhmm.CSV and are stored in the Import directory. The <i>ddhhmm</i> corresponds to the current day (01-31) and the hour and minute the file was created. To recover information on a respondent, import the appropriate file. When you delete a respondent, it is also backed up, however, the name of the file begins with "DL" instead of "BK".

The **Administration Settings** window allows you to change the administration language, font, and security features.

Administration Settings	
Administration Language © English (U.S.A.) © English (International)	Save changes?
Administration Font	
Fon <u>t</u> : Arial	<u> </u>
Administration Security	
 <u>Check password at administration end</u> <u>Disable Windows keys (recommended)</u> 	

Administration Settings window

Administration — Language	
	The <i>Administration Language</i> radio box controls what language will be used while administering the assessment.
Administration Font —	
	You may choose what font is used during the assessment administration by changing this font. Test any changes you make. Too large a font will result in the truncation of instructions and item text. Too small a font will be difficult to read. An 18-point to 22-point bold font is recommended.

Administration Security The password entered in the security section of Options | Program must be entered after the assessment is finished if the Check password at administration end box is checked. A valid password must first exist before this option may be checked. It is strongly recommended that the Disable Windows keys option is checked. This will prevent keystrokes such as Alt-Tab. Ctrl-Esc. Ctrl-Alt-Del and the Windows keys

will prevent keystrokes such as **Alt-Tab**, **Ctrl-Esc**, **Ctrl-Alt-Del** and the **Windows** key from allowing the assessment taker to switch to or run another program. Please note, however, that this option enables a "keyboard hook" program for the duration of the assessment which may be incompatible with other keyboard software.

The *Administration Security* options are greyed out if the software is in client mode. Any changes must be made on the server computer.

Options | Report

The **Report Settings** window allows you to customize the appearance of the generated reports by selecting a default language and font. You may choose to print any warnings in the report or only display a warning on screen when there are too many missing responses.

Report Settings		
Report Language © English (<u>U</u> .S.A.) © English (International)		Save changes?
Printer	Report Destination	
Printer Setup	O Printer O PDF File	<u> N</u> o
Unscorable Reports		
 ○ Warn in report file ● Warn on <u>s</u>creen 		
O Warn in report file		

Report Settings window

Report Language —	
	The <i>Report Language</i> radio box controls what language will be used for generating reports.
Report Destination —	
	In this section you may choose where the generated report will be sent: to PDF file or directly to the printer specified in the Printer and Page Setup window.
Unscorable Reports —	
	In the Unscorable Reports radio box you select where the error message is displayed if the Maximum Missing Responses value is exceeded. A value of 10 is recommended. If Warn in report file is selected, this error is added to the report. If Warn on Screen is selected, a message is displayed as each report is generated.

Printer Setup

Use this window to choose a printer from the list of printers available to your computer.

Printer Setup	L X
Printer Settings	Save changes?
Printer Name HP Color LaserJet 4600 PCL6	
	✓ Yes
	<u></u> №
	·



10. Respondent Database

Respondent Database

This window displays the contents of the respondent data file that have been added, scanned or imported into the database. Each item contains demographic data, responses and coupons. The **Edit**, **Delete** and **Report** buttons are available only when one or more respondents in the list are selected.

Eile: C:\Users\Public\Documents\SigmaSoft for Windows\DAPF	Action
Sample, Sam: Male [1000]	∔ <u>A</u> dd
	<u>E</u> dit
	□ □ <u>D</u> elete
	<u> </u>
	□ <u>S</u> ort

	The filename of the current database is listed in the upper left corner of the window. Below the filename is the list of respondents in the database. Each item in the list contains the last name, first name, gender and identification number. A status line at bottom left shows the number of the currently selected record, the total number of records, and the number of selected records.
Add —	
	To add respondent data, click on the Add button. The Edit Respondent Information window is displayed. After the demographic data is entered, you may administer the assessment or enter raw scale scores.
Edit —	
	Double-click on a respondent name, or select a range of respondents and select Edit , you may change the demographic data or edit the responses in the Edit Respondent Information window.
Delete —	
	Select one or more respondents to delete. You are prompted for confirmation before each deletion takes place with the Delete Respondent Data window. Deleted respondents are stored in files named DL*.CSV to your <i>Import</i> directory (see Options Program). If you accidentally delete records, restore them by importing one of these files.
Report —	
	To generate reports from the respondent data, click on the Report button. If you wish to generate reports for all respondents, press Ctrl-A first, or use your mouse to highlight all of the respondents in the database. You are then prompted for the type of report you wish to generate. The Generating Report screen displays basic respondent information and current scoring level.
Sort —	
	By default, the respondents are listed in the order that they were added to the database. If you wish to sort by last name, check the box labelled Sort . To return the list to its natural order, uncheck the Sort box.

The **Edit Respondent Information** window allows you to add to or change the demographic information for a respondent, as well as the scale scores and responses. The window also displays the current coupon level for the respondent. From here you administer the test to the respondent.

rmation	
Sample	Save changes?
Sam	√ Yes
	<u> </u>
1000	
Male	
30	
Never Married	
White Arab Latin American Black Chinese Japanese Native American Filipino Korean	
۰ III ا	
Adult Counselee	
Coupon Level 8	
Administer	
Edit <u>R</u> esponses	
Edit <u>S</u> cale Scores	
	Sam Sam 1000 Male 1000 Male 30 Never Married VWhite Arab Black Chinese Japanese Native American Filipino Korean Adult Counselee Coupon Level 8

Edit Respondent Information window

Respondent — Demographics	
	Use the <i>Last Name</i> , <i>First Name</i> , <i>Middle Name</i> and <i>ID Number</i> edit boxes to identify the respondent. Select Male or Female from the <i>Gender</i> drop-down menu to indicate the respondent's sex. Enter the respondent's age in the <i>Age</i> edit box. The contents of the <i>Gender</i> and <i>Age</i> edit box decide which norms are used. If left blank, adult male norms are used. Select respondent's Marital Status from the drop-down menu. Check which Ethnicity groups apply to the respondent. Select the Client Type from the drop-down menu.

Coupon Level —	
	The coupon level allows you to determine how many coupons have been used for a respondent. If a report you wish to generate costs the same or less in coupons, you may generate it again without using more coupons.
Administer —	
	Click on the Administer button to display the opening administration screen. At this time, bring in your client to take the assessment. To exit early, press Alt-F4. If you enabled the <i>Check password at administration end</i> option in Options Administration , you need to enter a password to proceed. The responses are not saved until you save the respondent data.
	In <i>demonstration mode</i> , only the first 5 items of the DAPP-BQ are presented.
Edit Responses —	
·	To manually edit the responses, click on the Edit Responses button. The Edit Responses window is displayed.
Edit Scale Scores —	
	To manually alter the scale scores, click on the Edit Scale Scores button. The Edit Scale Scores window is displayed.
Yes button —	
	Click this button to save any changes you have made. The data will be checked before it is saved and you are warned if any errors are found. You are warned if any of the demographic information is missing. You are also warned if responses and scale scores do not match. If responses or scale scores have been changed, the coupon level will be set to zero. Each of the warning messages will allow you to proceed by clicking on the Ok button, or return to the Edit Respondent Information window by clicking on the Cancel button.
No button —	
	Any changes you have made will not be saved. This includes responses from administration. You are warned if data will be lost.

DAPP-8Q

When you start the administration, the first screen displays help instructions for the respondent.

Review these instructions with the respondent. Before continuing, make sure he or she understands these instructions. Click on the **Continue** button to continue and begin the test. The question screens closely match the following screen.

On the screens that follow, you will find a number of statements describing the way people behave and feel. Carefully read each statement and decide how much it describes you.

Mark your answer by selecting STRONGLY DISAGREE, DISAGREE, NEUTRAL, AGREE or STRONGLY AGREE from the choices below each statement.

You can select your answer by pressing the number key that matches your choice, or by using the mouse to click on the button that matches your choice. A "check mark" will appear beside your choice.

To change your answer, select another choice. You must choose one of the five choices for every statement.

Once you have made your choice, press the N key or click on the NEXT button to move on to the next statement. To go back to the previous statement, press the B key or click on the BACK button.


To begin, press the C key or click on the CONTINUE button.

<u>Continue</u>

Read the statement below and then choose which of the five choices best describes you.				
1. If I am pressured, I will usually give in.				
	1. Strongly Disagree			
	2. Disagree			
	<u>3</u> . Neutral			
	<u>4</u> . Agree			
	✓ <u>5</u> . Strongly Agree			
	Help	Next >		

Click on the **1**, **2**, **3**, **4** or **5** button to answer the question and click on the **Next** button to continue to the next question. To go back to a previous question, click on the **Back** button when it is available. Help is always available by pressing the **Help** button, which then displays the opening screen again. After exiting the help screen, the respondent is returned to the question where he or she left off. To exit from the assessment early, press the **Alt-F4** shortcut.

After answering all of the questions, the final screen allows you to review your answers or complete the assessment.



Press the **F** key to finish. The *Check password at administration end* check box is checked in the **Options | Administration** window, the password will be requested before returning to the **Edit Respondent** window. The password will also be requested if you exit early from the assessment using the **Alt-F4** shortcut.

🖅 Edit responses: S	ample, Sam, #1(000	
1. 5	21. 3	41	Keep changes?
2. 3	22. 1	42	
3. 1	23. 5	43 ≡	<u> ⊻es</u>
4. 4	24. 4	44	<u> </u>
5. 4	25. <mark>3</mark>	45	
6. 3	26. 1	46	
7. 1	27. 1	47	
8. 3	28. 1	48	
9. 1	29. <mark>3</mark>	49 🚽	□ Errors only
		4	

Use this window to transcribe responses from a pencil/paper administration or to check imported or administered responses for errors.

Edit Responses window

Edit Window -

The *Edit Window* on the left side of the form allows you to change the responses using the keyboard or the mouse. To see more responses, use the scroll bars to the right and bottom of the *Edit Window*, or use the arrow keys.

To edit responses with the keyboard:

Up key	Move up one item.	
Down key	Move down one item.	
1	Change response to Strongly Disagree.	
2	Change response to Disagree.	
3	Change response to Neutral.	
4	Change response to Agree.	
5	Change response to Strongly Agree.	
Spacebar	Indicate blank responses.	
Home key	Move to the first item.	
End key Move to the last item.		

To edit responses with the mouse:

	To select a response, click on the number beside response. To change a response, click on the colored response box beside the number and enter in the desired response. Click on the scroll bars to reveal more responses.
Yes button —	
	Keeps changes and returns to Edit Respondent window. Note that changes are not yet saved until you click on the Yes button in the Edit Respondent window. If the responses are changed, the coupon level of the respondent will be reset to zero.
No button —	
No Sutton	Abandons any changes to the responses. You are warned if data will be lost.
Errors only —	
	When checked, the <i>Errors only</i> check box allows you to change only those responses which are in error. This allows you to quickly go to and fix these responses only.

Edit scale scores: Sample, Sam, #1000		<u> </u>
Affective Lability	58	Keep changes?
Anxiousness	44	
Callousness	31	∕ Yes
Cognitive Dysregulation	57	<u> N</u> o
Compulsivity	61	
Conduct Problems	26	
Identity Problems	42	
Insecure Attachment	57	
Intimacy Problems	39	
Low Affiliation	44	
Narcissism	39	
Oppositionality	35	
Rejection	43	
Restricted Expression	37	
Self-Harm	32	
Stimulus Seeking	49	
Submissiveness	61	
Suspiciousness	38	
Validity	33	

In special situations, you may need to be able to examine and possibly change scale scores directly. The **Edit Scale Scores** window allows you to do this.

Edit Scale Scores window

Scale Scores window Select the edit box corresponding to the scale you wish to change, and enter the new value. An edit box can either be left blank to indicate that the scale was not administered, or must contain a valid value for the scale.

Yes button —	
	Keeps changes and returns to Edit Respondent window. Note that changes are not yet saved until you click on the Yes button in the Edit Respondent window. If the scale scores are changed, the coupon level of the respondent will be reset to zero.
No button —	
	Abandons any changes to the scales. You are warned if data will be lost.
Report	

Select the type of report you wish to generate from the **Report Type** dialog box. The **Generating Report** window displays basic respondent information and current scoring level. Select from the available buttons to generate reports for some, none, or all respondents.

Report Type

Select the type of report you wish to generate in the **Report Type** window.

Report Type	×
Select report type	
 <u>Basic report (8 coupons)</u> <u>Data report (2 coupons)</u> 	
OK X Cancel	

Report Type window

Basic Report

The DAPP-BQ *Basic report* consists of introductory text, profiles comparing the respondent to clinical and general norming samples, scale descriptions, and administrative indices. Purchasing this report allows the Administrator to Export all Data in the File Export menu option for import to external software applications such as Microsoft Excel.

The cost of a *Basic report* is 8 coupons.

The *Data report* contains demographic information, item responses, DAPP-BQ raw scale scores in a simple prompt/data format.

The cost of a Data report is 2 coupons.

Import/Export File Formats

There are three ASCII based file formats suitable for importing and exporting respondent data. They are:

Comma Delimited File Format (.CSV) Tab Delimited File Format (.TAB) Fixed-Format ASCII File Format (.TXT)

Each file format consists of a header row containing information about the data contained in each column of the data rows, followed by one or more data rows, each containing the data for a single respondent. Each row is separated by a CR/LF (Carriage Return/Line Feed sequence - ASCII #13 and #10).

The exported files contain data for responses and scales. If the Basic report has been purchased for the respondents output, then the export file will contain all the data that is also contained in the Data Report in the formats below. The extra data will not be exported without the purchase of at least a Basic Report. This allows the administrator to import respondent data into an external software program like Microsoft Excel.

The amount of information exported depends on the coupon level assigned to the respondent record. If the respondent record has not been scored, only the data you have input (demographic information, responses and/or raw scale scores) will be exported. If a Data Report has been generated, demographic information, responses (where available) and raw scale scores will be exported. If a Basic Report has been generated, T-scores and percentiles will also be exported.

Comma Delimited -File Format (.CSV)

Comma Delimited files contain one record per line. Each record is separated by a CR/LF (Carriage Return/Line Feed sequence - ASCII #13 and #10). Each field is separated by a comma ("," - ASCII #42).

Field Name	Туре	Comment
Last Name	String	
First Name	String	
Middle Name	String	
ID Number	Number	
Age	Number	
Gender	String	M or F
Marital Status	String	
Ethnicity	String	W=White
		B=Black
		N=Native American/Aboriginal
		A=Arab
		C=Chinese
		F=Filipino
		L=Latin American
		J=Japanese
		K=Korean
		SA=South Asian
		SEA=Southeast Asian
		WA=West Asian
		O=Other
Responses (290)	Number	1=Strongly Disagree
		2=Disagree
		3=Neutral
		4=Agree
		5=Strongly Agree
Scale Scores (19)	Number	
Reserved (3)	5	For internal use only. Set to zeroes when
		creating the file, and do not modify when editing.

If the field name has a number in parentheses, that field is repeated that number of times. For example, there are 19 separate scale scores, each separated by a field delimiter - a Comma in this case.

Tab Delimited File -Format (.TAB)

The Tab Delimited file format is the same as the Comma Delimited file format with the exception that each field is separated by a Tab (ASCII #9) instead of a Comma.

Fixed-Format ASCII – File Format (.TXT)

The Fixed-Format ASCII file format contains extra fields which are not used by the software but are kept to be compatible with scanning utility file formats, notably those used by Scantools (R).

Field Name	Width	Comment
First Name	25	
Last Name	25	
Middle Name	25	
ID Number	15	
Age	2	
Gender	1	M or F
Marital Status	13	
Ethnicity	15	
Client Type	36	
Responses (290)	1	1=Strongly Disagree,
		2=Disagree
		3=Neutral
		4=Agree
		5=Strongly Agree
Scale Scores (19)	2	
Reserved (3)	5	For internal use only. Set to zeroes when creating the file, and do not modify when editing.

If the field name has a number in parent.heses, that field is repeated that number of times. For example, there are 12 separate scale scores, each of width 2.

Generating report - B	asic Report	
Lastname	Sample	Process?
Firstname	Sam	✓ Yes
Middle name		<u> </u>
ID number	1000	
Gender	М	
Age	30	Abort
	Coupon level 8	Send Report To:
Coupons remain Progress	ing 12100	Printer PDF <u>F</u> ile

When you create reports of selected respondents, each respondent is displayed before the report is generated in the **Generating Report** window.

Generating Report window

Yes button	
	Click the Yes button to generate a report for the current respondent.
No button	
	The No button skips the current respondent and moves on to the next selected respondent.
All button	
	To generate reports for all of the selected respondents without further confirmation, click on the All button.
Abort button	
	To cancel any further reports, click on the Abort button.

Progress Indicator —	The Progress Indicator location at the bottom left of the window displays the
	progress for the report being generated. The number of coupons remaining is displayed and updated as the coupons are used.
Send Report To	
	The <i>Send Report To</i> radio box allows you to choose where the report is sent. This choice overrides the one made in the Printer Setup window for the current report only. Click on Printer to send the report directly to the printer selected in the Printer Setup window. Click on PDF File to save the report to a file. The Save As screen will allow to enter a file name and select a location to save your file.

Confirm Processing

When you import respondent data and delete respondent data, you are presented with similar windows: the **Import Respondent Data** window and **Delete Respondent Data** window. From these windows you can choose to continue or abort processing.

Import respondent data	X
Last name Sample	Import?
First name Sam	✓ Yes
Middle name	<u> </u>
ID number 1000	
Gender M	<u> A</u> II
Age 30	X Abort
Coupon Level 8	

Yes button	
	Click the Yes button to continue processing the current respondent.
No button	The No button skips the current respondent and moves on to the next selected respondent.
All button	·
	This button is present when there is more than one respondent selected. To process all of the selected respondents without further confirmation, click on the All button.
Abort button	
	This button is present when there is more than one respondent selected. To cancel any further processing, click on the Abort button.



11. Help Menu

From the **Help Menu**, you may obtain detailed online help, learn to use the software through an online tutorial, or display program status information.

The items in the Help Menu are: About Contents Tutorial

Help | About

The content of the **Help** About window depends on what mode the software is running in: **Registered Mode Demonstration Mode** Server Mode Client Mode **Registered Mode** The About dialog box displays version and status information about the SigmaSoft for Windows Software. The button labeled Change allows you to change your registration information, such as your company name or address. Demonstration Mode If you have not registered the software, it will run in demonstration mode only. When in demonstration mode, the About dialog box requests that you continue evaluating the software by clicking Ok. You may register the software by pressing the Register button. Server Mode The computer which was used to register the software will run in Server mode. The mode in which the computer is operating is displayed in the title of the About dialog box. This is the only computer on which coupons can be added or used to generate reports. **Client Mode** Any computers attached to the Server computer will run in Client Mode (Network). The /N parameter allows you to configure where the Server is located. In this mode you can add, edit and delete respondents, and administer tests. You may not generate reports or add coupons from this computer. The mode in which the computer is operating is displayed in the title of the **About** dialog box.

Help | Contents

This option displays the table of contents of the help file. From the table of contents you can see an overview of the topics in the help file.

Help | Tutorial

The online tutorial helps you learn how to use the SigmaSoft for Windows Software through sample lessons. You may begin by clicking on the word tutorial in the online help file.



12. Batch Processing

The topics in this section are: Explanation of Command Line Parameters Using Command Line Parameters in Windows

Explanation of Command Line Parameters

To simplify daily processing, the SigmaSoft for Windows software contains a feature that allows you to tell it, when you start it up, which options you want to use. This is done by adding switches to the command line used to start the software. An example command line is: "C:\PROGRAM FILES\DAPP\DAPP.EXE /DOSEP0196 / RB /P /X". This example would open the database named SEP0196.DAT, generate basic reports, print the reports, and then exit the program.

There is a command-line switch for each of the most-used options on the SigmaSoft for Windows Software menus. Many of the command-line switches also allow you to specify the information, such as the name of the respondent data file, import data file or export data file, required by the option.

Each switch can only be used once in a command line. Switches are processed in the order given below. If a switch contains a <Filename>, replace this with the filename you are using. For example, /DOCASEM will open a respondent database named CASEM.DAT.

Command	<u>Switch</u>	<u>Notes</u>
Open new respondent database	/DN <filename></filename>	Will overwrite existing databases without any warning. Uses the default directory unless another specified.
Open existing respondent database	/DO <filename></filename>	File must exist. Uses the default directory unless another specified.
Import respondent data	/I <filename></filename>	Assumes extension of CSV if none provided. Uses the default directory unless another specified. Respondent database must already be open.
Edit respondent data	/E	Selects all respondents in the Respondent Database window and calls up Edit Respondent window for each.
Administer DAPP	/A	Selects all respondents in the Respondent Database window and administers the DAPP to each.

Generate Basic Report	/RB	Selects all respondents in the Respondent Database window and generates a Basic report for each.
Generate Data Report	/RD	Selects all respondents in the Respondent Database window and generates a Basic report for each.
Print report	/P	Sendsreportdirectlytoprinterselected in the Printer Setup window.
Export respondent data	/T <filename></filename>	Selects all respondents in the Respondent Database window and exports each to file. Assumes extension of CSV if none provided.
Exits program	/X <a>	/X automatically exits the DAPP program when all of the above commands have been executed. In addition to exiting the program, /XA automatically chooses the default option in any dialog boxes that open up during processing. Use this option to completely automate processing.
Network mode	/N <path></path>	Specify path of network server. If the path contains spaces, enclose the path in double quotation marks ("). UNC paths are not supported, drives letters must be mapped.

There are two ways to use the command line in Windows:

- 1. Permanently add the switches to the icon used to load the software:
 - i. Right click on the program icon, and select **Properties**.
 - ii. Select the Target tab.
 - iii. Add a space to the **Target** edit box, and then add any command line switches. Note that if the text in the edit box is selected when you start typing, it will be replaced. Press the **End** key once to remove the selection while in the edit box.
 - iv. Click the **Ok** button.
- 2. Run the software with command line switches one time only:
 - i. Click on the Start Menu.
 - ii. Select Run.
 - iii. Type in the full path of the DAPP program, for example:

C:\PROGRAM FILES\DAPP\DAPP.EXE with a space at the end.

iv. To the same line, add any command line parameters and then press the **Ok** button.



13. Troubleshooting

The error message will give you an indication of what went wrong and how you may be able to correct the error. You may wish to refer to the Troubleshooting section to fix the error yourself. Try the operation again to see if it produces the same result.

If you wish to call technical support, please record the error number and the circumstances under which the error happened. If possible, call from a phone near the computer so that any assistance given can be tested immediately.

The topics in this section are:

Administration Client mode Coupons Editing respondent data Exporting reports and respondent data Generating reports Importing respondent data files Keyboard usage Memory Missing files Mouse usage Network **Opening files** Password Printing Registration Saving files Saving reports

Administration

Exit all unnecessary programs *before* administering the assessment from the **Edit Respondent** window. This includes programs that have the *Always on top* mode set. These programs will remain displayed while the assessment is administered, distracting the respondent. For example, help files or clock programs often have this mode set.

Whenever you edit a respondent's data, or administer the DAPP-BQ, the changes you make are stored in a file called BKddhhmm.CSV, where dd is the date, and hhmm is the hour and minute the file was created. If your computer crashes or you forget to save your changes, all is not lost. Simply import this file to retrieve your latest changes. More information on importing can be found in the **File|Import** section. To enable or disable file backups, refer to the **Options|Program** section.

If you have problems starting the administration or viewing the test instructions, you may need to change the administration font. See the **Administration Font** section under **Options | Administration**.

Client mode –	
	When you are running the software on a network in client mode (as opposed to server mode), you may edit and manipulate respondent data, and generate reports, but you may not use coupons. This means you may not generate a report for a respondent with a coupon level of less than the number required for the report you wish to generate. When configured properly, the Help About screen will display <i>Client Mode (Network)</i> .
	If your software has been registered, and suddenly comes up in <i>Client Mode</i> , or you cannot generate reports due to a coupon protection error, your files may have been moved due to a disk defragmentation utility, such as <i>Disk Defragmenter</i> in Windows. You will need to re-register your software to regain your coupons. To prevent this from re-occuring, make sure your defragment software does not move hidden and system files, or run a <i>Defragment Files</i> Only and do not run a <i>Full Defragmentation</i> .
Coupons —	
,	If you need to remove coupons to add them to another computer or move the software to another computer, contact technical support.
	If the title of the startup screen contains the words <i>Client Mode</i> then you may not use coupons from that computer. You can only use coupons on the computer displaying <i>Server Mode</i> . If you do not have a network, the computer will always run in <i>Server Mode</i> .
Editing respondent —	
data	
	If you cannot open a database or record, it may be in use over the network. If so, try later when the file or record becomes free.
	If the database becomes excessively large, you may notice slowdowns when editing respondents. Create a new database if this is the case.
Exporting reports —	
and	
respondent data	If the disk is full or write-protected, refer to the <i>Saving files</i> section. Data is exported to the import directory shown in the Options Program menu option.
	See also: File Export
Generating reports —	
	Ensure that you have enough coupons to pay for the report you wish to generate. If not, you may need to add coupons. The software must be registered before you can generate reports.

Importing —	
respondent data files	
jiies	Files are imported from the import directory as listed in the Options Program menu option, but you may change this to any directory temporarily or permanently. Change the <i>List files of type</i> list box to the type of file you wish to import. The file extension (.BPI, .CSV, .TAB, .TXT) must properly reflect the type of file being imported. If no records are imported, it may be that the file is not in the proper format.
	See also: File Import
Keyboard usage —	
	For the most part, you can press only the key corresponding to a letter underlined on a button. However, if you are in an edit field or another part of the window, you may have to use the <i>Alternate</i> combination. For example, if O is underlined, press and hold Alt , and press O .
Memory —	
	You need at least 4 megabytes of RAM installed in your computer to run this software. If you are running out of memory, exit other programs and try again. Consult your Windows manual on how to increase virtual memory if necessary.
Missing files —	
	Refer to the list of files used by this software. If any are missing, you may need to reinstall the software. If you have registered the software or added coupons, they will be preserved, provided you reinstall to the same directory.
Mouse usage —	
	When clicking on a button, ensure that the mouse is released before moving off the button completely, otherwise the button may not work.
Network —	
	A peer-to-peer network (such as Windows networking) is required to run the SigmaSoft for Windows Software.
	If you are experiencing write errors, ensure that the server computer is allowing full read/write access to the client computers, and that you are using a mapped network drive.
Opening files —	
	If you cannot open a file, check the spelling of the file, or choose from the file open dialog box. Ensure that the file is not already in use if you are on a network, and if so, try later when the file becomes free.
	See also: File Open

Password —	
	If you have forgotten or lost the start up and administration password, call technical support to obtain a temporary password to gain access to the program. Use the Options Program menu to re-enter the password. Temporary passwords will only be given to registered users.
	See also: Options Program
Printing —	
2	Refer to your printer manual or the Windows manuals for problems with your printer. Check that the cables are properly connected, and that power is applied to the printer. Also check for a paper jam or paper tray empty.
	If pages are not formatted properly, it may be due to the font size or type. Select a different font or font size, or adjust the margins.
	See also: File Print, Printer Setup, Options Report
Registration —	
2	Registration may be performed only on a local drive on a local computer, you may not register on a drive that is on a network location.
	Ensure that you are entering the proper password when registering the software. If you enter too many incorrect attempts, you will no longer be able to use that password, and must obtain a new password.
Saving files —	
	If you cannot save a report file or database to disk, the disk may be write-protected (if a floppy disk) or full. Use the windows file manager to check for disk space, and remove any files in your TEMP directory if necessary to free up some space. If it is a write-protected floppy disk, remove the protection, or use a disk that is not write-protected.
	If you are on a network, you may not have save privileges to a disk drive, and may have to use your local drive to save data. You can change the default directories in Options Program .
	See also: File Export, File Save, File Save As
Saving reports —	
	If the disk is full or write-protected, refer to the <i>Saving files</i> section. Reports are saved to the <i>Output Directory</i> shown in the Options Program Program Directories.



14. Files Used by the Software

Listed below are the files needed by and created by this software:

DAPP.EXE DAPP.HLP	Main executable software Help file
BK*.CSV	Backup files containing saved responses from the most recent administration.
DAPPADMIN.CDN, DAPPADMIN.USA	Administration files for CANADA and U.S.A.
CONFIRM.TPL, CONFIRM.TXT	Coupon removal confirmation template and form.
COUPON.TPL, COUPON.TXT	Coupon order template and form.
DL*.CSV	Backup files containing respondents most recently deleted from a database.
REG.TPL, REG.TXT	Registration order template and form.
SAMPLE.DAT	Sample respondent database file.
SIGMADAPP.DAT	Protected files, do not modify, delete or move.
KEYHOOK.DLL, KEYLIB32.DLL, MACHNM1.EXE, TOC.OCX, TER.DLL, UNSIGMA.EXE	Library files common to all SigmaSoft for Windows
	Software.

Here are the common file extensions used by this program:

*.DAT	Respondent database files.
*.CSV	Comma delimited import/export files.
*.RTF	Rich text report files.
*.TAB	Tab delimited import/export files.
*.TXT	Text report files or fixed format import/export text files.



15. Uninstallation

When the SigmaSoft for Windows Software is installed, it sets up an uninstall method to simplify removing coupons and all program files that were added to your system. You will need to uninstall your software so that you can reinstall it on another computer if you want to change the computer on which you generate your reports.

The topics in this section are: Uninstallation for Windows Remove Registration

Uninstallation for Windows

- 1. From the Start Menu, select Settings.
- 2. Select Control Panel.
- 3. Select Add/Remove Programs.
- 4. From the list of programs installed, select **SigmaSoft DAPP for Windows**, and click the **Add/Remove** button.
- 5. Press the **Ok** button to continue uninstall, and press the **Yes** button to confirm uninstallation.
- 6. Proceed to the *Remove Registration* section.

Remove Registration


1. After uninstallation, the **Remove Registration** window is displayed.

emove Registration		
Before you can uninstall this software, you must unregister it.		Remove?
To unregister, you must contact us at one of the following locations:		<u>✓ N</u> ow
In the United States: Sigma Assessment Systems @ 1-800-265-1285 In Canada:		Co Later
Research Psychologists Press @ 1-800-401-4480 Elsewhere: Research Psychologists Press @ 1-519-673-0833		X Cancel
When you provide us with the information below, we will provide you with an unregistration password.		
If you cannot contact us by phone, click the Later Button to print a form that can be faxed, mailed or emailed to us.		
Validation Code XXXXX	-XXXX-XXXX	
Current Coupons 10000		
Serial Number XXXXX		
Password		

- 2. Follow the instructions in the **Remove Registration** window to obtain the unregistration password.
- 3. Enter the unregistration password in the *Password* edit box.
- 4. Press the Now button. The Registration Password window is displayed next.

Registration has been removed	LX.
Registration has been removed. To receive credit for the coupons removed along with the registration, please record the numbers below.	Action
Serial Number XXXXXXXXXXXX	<u> R</u> ecord
Password Used XXXXXXXXXXXXX	<u>I</u> Close
Coupons Removed 10000	
Confirmation Number XXXXXXXXXXXXXXXXX	

- 5. Record the confirmation number on paper. Press the **Record** button to save the confirmation number to disk.
- 6. You will be asked if you wish to print out the confirmation number, answer **Yes** if you wish to do so.
- 7. Give the confirmation number to SIGMA to record a credit. If you are moving the software to another computer, contact SIGMA after you have re-installed the software and are ready to register. You may then add back the credited coupons.



Coupon level —	
	The <i>coupon level</i> of a respondent refers to how many coupons have been spent on that respondent. When first added, each respondent is assigned a coupon level of zero (0). Each time a report is generated for a respondent, his or her coupon level is set to the number of coupons required by that report. Once a coupon level has been assigned, you may generate additional reports of the same or less value without using more coupons.
Coupons —	
	Each report has a price, in <i>coupons</i> . Before you can generate a report, you must purchase enough coupons to pay for that report. These coupons are electronic in nature. When you purchase coupons, you receive a password. This password adds the number of coupons you have purchased to the protected counter installed on your computer. When you generate a report, coupons are subtracted from that counter.
СОИРОМ.ТХТ —	
	The COUPON.TXT file contains the SigmaSoft Coupon Order Form for use when faxing or emailing an order for additional coupons.
Dialog box —	
	A <i>dialog box</i> is a window which usually contains Ok and Cancel buttons, or Yes and No buttons. It displays information or asks for more information before continuing. Click the Ok or Yes button to continue with the current operation. Click on the Cancel or No button to stop the current operation.
	Report Type
	Select report type
Drive icon —	
	The drive icon allows you to select a drive. It is similar to a list box except that it displays all available drives. When you select a drive, the browse box changes to display the folders in the new drive.



Edit box —	
	In an <i>edit box</i> you type in numbers or characters. You may use the cursor or mouse to select and delete text within the edit box.
	Password
Fixed format ASCII —	
	<i>Fixed format ASCII files</i> are arranged so each field is exactly the same length in each record, and each record is contained on one line, separated by a carriage return. File extension is .txt .
Highlighting —	
	A button is highlighted when a dotted line appears along the inside borders of the button.
ID Number —	
	The <i>ID Number</i> of a respondent allows you to assign a number to use for confidential purposes. Use a unique number for each respondent, or no ID Number at all.
List box —	
	A <i>list box</i> allows you to choose from a list of items. Click on the down arrow to show the list and select an item from the list.
	List files of <u>type</u> : Rich Text Files (*.RTF) Rich Text Files (*.RTF) Text Only (*.TXT) Hyper Text Files (*.HTM) All files (*.RTF,*.TXT,*.HTN
Radio box —	
	A <i>radio box</i> contains more than one <i>radio button</i> . Clicking on a button releases all other buttons, leaving only one selected.



REG.TXT	
	The REG.TXT file contains the SigmaSoft Registration Form for use when faxing or emailing a Windows Software Registration form.
Respondent data file	
-	A respondent data file is a special file used by this program to store respondent demographic information, responses to the DAPP-BQ items, as well as scoring information. Respondent data files should not be printed and cannot be accessed by other programs. By default, respondent data files are stored in the respondent data file directory listed in the Options Program window.
RTF file	
-	An RTF file is a Rich Text Format file which retains font sizes, and character effects such as bolding, italics and underlining. It can be read and written by many word processing programs.
Save dialog box	
	The <i>save dialog box</i> allows you to define the directory and file name in which the data will be stored. You may select a different output format by changing the list box labelled <i>"Save file as type"</i> . Click on the Ok button when you are ready to save the file.
Selection	
	To select an item, click on it or press the space bar when the item is highlighted. You can select a range of items by holding down the Shift key while selecting. You can select and deselect individual items by pressing the Ctrl key and selecting items.
	Case 4 : Male [4000] Case 1 : Female [1000]
Status bar	
	A status bar at bottom left shows the number of the currently selected records, the total number of records, and the number of selected records.
Validation code	
	The <i>validation code</i> is provided by the SigmaSoft for Windows Software during the registration process. This code is given to SIGMA who then provides a password to register your software.